L Number	Hits	Search Text	DB	Time stamp
-	1222	oscillator.clm. and timer.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:34
-	1012	oscillator same (voltage near4 (detector$1 or sensor$1)) same (comparator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:34
-	1272	oscillator.clm. same capacitor.clm. and parallel.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:34
-	612	(oscillator.clm. same capacitor.clm.) same parallel.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:34
-	2855	((oscillator same capacitor) same parallel) and (power near2 supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:34
-	0	((oscillator same capacitor) same parallel) and (power near2 supply) and (coating near1 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:34
-	0	"655014"	US-PGPUB	2004/04/07 13:34
-	2	(118/$.ccls. or 427/$.ccls.) and (oscillator same (current near2 (cutoff or "cut off" or cut-off)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	23	(118/62$.ccls. or 118/63$.ccls. or 118/64$.ccls.) and (power near10 supply) and oscillator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	267	(118/638).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	2	(118/62$.ccls. or 118/63$.ccls. or 118/64$.ccls.) and (green near10 electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	344	(green near1 electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	42	(green near2 compact near2 electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36

-	500	oscillator.clm. same timer.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	34	oscillator.clm. same timer.clm. same (power.clm. near3 supply.clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	41	(118/$.ccls. or 427/$.ccls.) and (oscillator same (voltage near10 (detect$3 or sens$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	108	(118/$.ccls. or 427/$.ccls.) and (oscillator same (capacitor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	20	320/$.ccls. and electrode and reactance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	13	323/$.ccls. and coating and reactance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:36
-	894	(118/620).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:37
-	4	oscillator same (voltage near4 (detector$1 or sensor$1)) same (current near10 cutoff)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:37
-	2	oscillator same (voltage near4 (detector$1 or sensor$1)) same (current near10 cut-off)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:37
-	604	((323/208) or (323/209) or (323/210) or (323/211)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:37
-	331	oscillator same (voltage adj2 (detector$1 or sensor$1)) same (comparator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:37
-	197	(323/277).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:25
-	400	((320/166) or (320/167)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38

C:\APPS\east\workspaces\us09660417_electrode_coating_voltage_controlled.wsp

-	21	(((320/166) or (320/167)).CCLS.) and ((inductor or reactance) same capacitor same series)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	1	323/$.ccls. and (timer same (current near3 cutoff))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	101	323/$.ccls. and (timer same oscillator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	2	(oscillator.clm. same capacitor.clm.) same parallel.clm. and (118/$.ccls. or 427/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	6	(oscillator.clm. same capacitor.clm.) same parallel.clm. and (electrode near20 coat$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	8	((oscillator same capacitor) same parallel) and (power near2 supply) and (coating near2 apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	5	((inductor same capacitor) same parallel) and (power near2 supply) and (coating near2 apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	47	((inductor same capacitor) same parallel) and (power near2 supply) and (electrode near5 coating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	7	(((320/166) or (320/167)).CCLS.) and (oscillator and timer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:38
-	1	("6114015").PN.	USPAT	2004/04/07 13:38
-	1	("6702896").PN.	USPAT	2004/04/07 13:38
-	4948	118/62$.ccls. or 118/63$.ccls. or 118/64$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:41
-	1	(118/62$.ccls. or 118/63$.ccls. or 118/64$.ccls.) and (green near2 electrode) and oscillator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:29
-	1	(118/62$.ccls. or 118/63$.ccls. or 118/64$.ccls.) and (green near2 electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:29

C:\APPS\east\workspaces\us09660417_electrode_coating_voltage_controlled.wsp

-	1406	(427/8).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:57
-	0	((427/8).CCLS.) and (green near2 electrode) and oscillator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:29
-	0	((427/8).CCLS.) and (green near2 electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:29
-	50	427/$.ccls. and (green near2 electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:00
-	116	427/$.ccls. and (green near2 compact)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:47
-	106	(427/59).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:15
-	27	427/$.ccls. and (compact near3 electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:00
-	639	(427/580).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 12:03
-	1626	(219/69.17).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 17:29
-	176	(427/540).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 12:03
-	409	(427/530).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 15:23
-	6	"6086684"	USPAT	2004/04/08 15:23
-	3	"6348668"	USPAT	2004/04/08 15:23
-	396	(219/69.18).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 17:29

C:\APPS\east\workspaces\us09660417_electrode_coating_voltage_controlled.wsp

-	237	(219/69.19).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 17:29

C:\APPS\east\workspaces\us09660417._electrode_coating_voltage_controlled.wsp